

Line-R 1200VA Automatic Voltage Regulator

Automatic voltage regulation for protection against brownouts and overvoltages.

Includes: User Manual

Part Number : LE1200I



Technical Specifications

Output

| | |
|-------------------|-------------|
| Number of Outlets | 4 |
| Receptacle Style | IEC 320-C13 |

Features:

- Automatic Voltage Regulation (AVR)
- Brownout correction
- Overvoltage Correction
- Status Indicator LED's
- Surge Protection

Input

| | |
|--------------------------------|-----------------------|
| Nominal input voltage | 230V |
| Input frequency | 50/60 Hz |
| Input Connection Type | IEC-320-C14 |
| Maximum Line Current per phase | 5.20 A |
| Cord Length | 6.50 feet (1.98 cm) |

Surge Protection and Filtering

| | |
|---|------------|
| Surge energy rating | 300 Joules |
| EMI/RFI Noise rejection (100 kHz to 10 mHz) | 55 dB |
| Peak Current Common Mode | 12 kAmps |
| Let Through Voltage Rating | < 900 |

Physical

| | |
|----------------|------------------------|
| Net weight | 9.24 lbs. (4.20 kg) |
| Maximum height | 4.55 inches (116 mm) |
| Maximum width | 8.43 inches (214 mm) |
| Maximum depth | 5.55 inches (141 mm) |

| | |
|---|-----------------------------|
| Shipping Weight | 9.90 lbs. (4.50 kg) |
| Shipping Height | 6.90 inches (175 mm) |
| Shipping Width | 10.75 inches (273 mm) |
| Shipping Depth | 8.15 inches (207 mm) |
| Master Carton Units | 4.00 |
| Master Carton Dimensions (Length x Width x Height) | 16.73 X 10.95 X 14.3 inches |
| Master Carton Weight | 42.00 lbs. |
| SCC Codes | 1073130419793 2 |
| Color | Beige |

Environmental

| | |
|-----------------------------|---------------------------------|
| Operating Environment | 0 - 40 °C (32 - 104 °F) |
| Operating Relative Humidity | 5 - 95 % |
| Operating Elevation | 0-10000 feet (0-3000 meters) |
| Storage Temperature | -25 - 65 °C (-13 - 149 °F) |
| Storage Relative Humidity | 5 - 95 % |
| Storage Elevation | 0-50000 feet (0-15000 meters) |

Conformance

| | |
|-------------------|--|
| Approvals | C-tick , CE , EN 55024 , EN 60950 , GOST , GS Mark , PCBC |
| Standard warranty | 2 years repair or replace |

MSsystems Ltd.

www.msistemas.gr