

Product Highlights

Watch Over More of Your Home, Day and Night

Keep an eye on what's important with High Definition 720p video images as well as night vision that lets you watch over your home or office 24 hours a day

Motion and Sound Detection with Night Vision

Never miss a thing with the ability to be notified when motion or sound is detected. Night vision ensures clear images even in complete darkness

mydlink™-enabled Cloud Access

Easy setup, management and remote viewing of your camera through the free mydlink app on your mobile device or via the secure mydlink web portal



DCS-936L

HD Wi-Fi Camera

Features

Camera

- High quality 720p HD sensor provides detailed snapshots and crisp video
- Wide angle lens for clear, whole-room coverage
- Built-in IR LEDs to capture video in low-light environments, or even complete darkness

Security

- Motion and sound detection
- Send notifications and snapshots or video clips to your e-mail address, or save them to a microSD card¹

Ease Of Use

- Works with your Wi-Fi, so you can install the camera anywhere with ease

mydlink Functionality

- mydlink-enabled so you can check on your camera anytime, anywhere
- View and manage your camera through the mydlink website
- Supports the mydlink Lite and mydlink+ apps for remote viewing on your mobile device

The DCS-936L HD Wi-Fi Camera boasts a wide angle lens that easily captures your entire room, wall-to-wall, in high-resolution 720p. The built-in night vision, motion and sound detection, and a handy mobile app empower you with knowing exactly what is happening, day or night. Its revolutionary design with rotatable head means it can be placed conveniently on a shelf, mounted on the wall or the ceiling whilst still providing images in the correct orientation.

Peace Of Mind With 24/7 Complete Coverage

Unlike traditional cameras, the DCS-936L uses a wide angle lens and a 720p HD sensor to give you a crystal clear view of the entire room with a single camera. Night time monitoring is possible with the built-in infrared LEDs which allow for viewing of up to 5 metres, enabling round-the-clock monitoring of a home or small office.

Stay Informed About What's Happening

Receive push notification and/or e-mail with snapshots or video clips whenever motion or sound is detected using just the DCS-936L and an Internet connection. Built-in motion detection keeps you aware of what's happening, and you can set volume limits to detect when a loud sound is picked up by the camera. An integrated microSD card slot¹ allows you to record videos directly onto the camera, without the need of a computer. You can set up the camera to record only when motion or sound is detected.

Place It Anywhere In Your Home

When setting up a surveillance camera, you need to make sure that it can provide smooth video wherever you decide to install it. The DCS-936L has built-in fast Wi-Fi connectivity to give you a high bandwidth connection to your router, allowing it to stream HD video with ease. The Signal Locator LED tells you how strong the camera's wireless connection is, making it easy to optimise the placement of your camera


mydlink: The Easiest Way to Set Up your Camera and Monitor your Home

Connecting a camera to your network and accessing it has traditionally required complex configuration. mydlink makes it easy to access your camera from wherever you are, whenever it's convenient for you. Using the free mydlink Lite app for iOS and Android smartphones and tablets, you can connect and setup your mydlink camera without even turning on a computer. A step-by-step guide will have your camera up and running in a matter of minutes. Through the mydlink Lite app, you can set up a free mydlink account which allows you to view and manage your camera from any Internet connected computer. If you have more than one camera, you can add it to your existing mydlink account and watch all your cameras from a single location.

Accessing your cameras on the go is easy too. Just download the free mydlink Lite app for your iPhone or Android device and you can quickly and easily view your camera feed from anywhere with a wireless or 3G/4G LTE connection. Thanks to this app, you can monitor on-the-go even if you don't have access to a computer.

If you have a mydlink-enabled Cloud Router, setting up and configuring your DCS-936L is as easy as 1, 2, 3, thanks to Zero Configuration. Simply connect your camera to its power adapter and then connect your camera to your Cloud Router with an Ethernet cable - the camera will automatically be added to your account.

mydlink™ Lite App



With the free mydlink Lite app for iOS, Android and Windows Phone devices you can quickly and easily monitor your home or office anywhere with a Wi-Fi or mobile Internet connection.

Wi-Fi Signal Locator

Wi-Fi Signal Locator

Helps you find the best Wi-Fi spot for your camera



Easy setup, flexible placement, access from anywhere at any time

Front View



Rear View



Technical Specifications

Camera		
Camera Hardware Profile	<ul style="list-style-type: none"> • 1/4" Megapixel HD progressive CMOS sensor • 5 metre IR illumination distance • Minimum illumination: <ul style="list-style-type: none"> • Colour (Day Mode), IR LEDs off: 2.6 lux • B/W (Night Mode), IR LEDs off: 1.5 lux • B/W (Night Mode), IR LEDs on: 0 lux • Built-in Infrared-Cut Removable (ICR) Filter module • Fixed length 2.45 mm 	<ul style="list-style-type: none"> • Aperture F2.4 • Angle of view <ul style="list-style-type: none"> • (H) 112° • (V) 77° • (D) 120° • Minimum object distance: 50 cm • Built-in microphone
Image Features	<ul style="list-style-type: none"> • Configurable image size, quality, frame rate, and bit rate • Configurable brightness, contrast, sharpness, and saturation 	<ul style="list-style-type: none"> • Configurable motion detection windows • Time stamp and text overlays
Video Compression	<ul style="list-style-type: none"> • Simultaneous H.264/MJPEG format compression 	<ul style="list-style-type: none"> • JPEG for still images
Video Resolution	<ul style="list-style-type: none"> • 720P (1280 x 720), VGA (640 x 352), QVGA (320 x 176) at up to 30 fps 	
Audio Compression	<ul style="list-style-type: none"> • PCM 	<ul style="list-style-type: none"> • ADPCM
Connectivity	<ul style="list-style-type: none"> • 802.11n/g wireless with WPA/WPA2 encryption • Operates on 2.4 GHz band • microSD card slot¹ 	<ul style="list-style-type: none"> • Single-band 1T1R mode supports a maximum data rate of 72.2 Mbps (PHY rate) using 20 MHz bandwidth²
Network		
Network Protocols	<ul style="list-style-type: none"> • IPv4, IPv6, ARP, TCP, UDP, ICMP • DHCP Client • NTP Client (D-Link) • DNS Client • DDNS Client (D-Link) • SMTP Client 	<ul style="list-style-type: none"> • HTTP Server • PPPoE • UPnP, UPnP Port Forwarding • RTP, RTSP • HTTPS for configuration • Bonjour
Security	<ul style="list-style-type: none"> • Administrator and user group protection • Password authentication 	<ul style="list-style-type: none"> • HTTP and RTSP digest encryption
System Integration		
System Requirements for Web Interface	<ul style="list-style-type: none"> • Operating system: Microsoft Windows 10/8/7 or Mac OS X 10.7 or higher 	<ul style="list-style-type: none"> • Browser: Internet Explorer 8, Firefox 12, Chrome 20, or Safari 6 or higher
Event Management	<ul style="list-style-type: none"> • Motion detection • Sound level detection 	<ul style="list-style-type: none"> • Event notification and uploading of snapshots/video clips via SMTP
Remote Management	<ul style="list-style-type: none"> • Configuration accessible via web browser 	
Mobile support	<ul style="list-style-type: none"> • mydlink Lite app for iPhone, iPad, iPod Touch, Android, and Windows 	<ul style="list-style-type: none"> • mydlink+ app for iOS and Android

DCS-936L HD Wi-Fi Camera

General	
Dimensions	• 92.1 x 65.9 x 90.7 mm (3.6 x 2.6 x 3.6 inches)
Weight	• 140.0 grams \pm 5%
Power	• 5 V DC, 1.2 A through external power adapter • Power adapter: 100 to 240 V AC, 50/60 Hz
Power Consumption	• 4 watts maximum \pm 5%
Temperature	• Operating: 0 to 40 °C (32 to 104 °F) • Storage: -20 to 70° C (-4 to 158 °F)
Humidity	• Operating: 20% to 80% non-condensing • Storage: 20% to 80% non-condensing
Certifications	• CE • CE LVD • FCC Class B • ICES
Dimensions Diagram	

¹ MicroSD card not included. Camera is compatible with microSD/SDHC/SDXC cards up to v3.0¹. Camera is not compatible with v4.x cards.
² Maximum wireless signal rate derived from IEEE standard 802.11n specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, lower actual data throughput rate. Environmental factors may adversely affect wireless signal range.



For more information: www.dlink.com

D-Link European Headquarters. D-Link (Europe) Ltd., D-Link House, Abbey Road, Park Royal, London, NW10 7BX.
 Specifications are subject to change without notice. D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries.
 All other trademarks belong to their respective owners. ©2016 D-Link Corporation. All rights reserved. E&OE.

Updated September 2016

D-Link[®]
 Home is where the SMART is