



300Mbps High Gain Wireless USB Adapter

Increased Range for
a Smooth Online Experience

TL-WN822N



300Mbps Wi-Fi



High Gain Antenna



WPS Button

Highlights


N300 Stability for Your Daily Needs

The TL-WN822N reaches speeds of up to 300Mbps, ideal for streaming, gaming and internet calls.



One-Button Security

With a push of the WPS button, connect the TL-WN822N to the Wi-Fi network without typing a complex password, and stay protected with reliable security.



Features



Speed

- Fast Wi-Fi – Up to 300Mbps Wi-Fi speed for joyful surfing experience



Ease of Use

- Backwards Compatibility – Supports routers utilizing 802.11 b/g/n Wi-Fi standards



Security

- Active Defense – WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats
- WPS Button - Easy wireless security encryption at a push of the WPS button



Wi-Fi Range

- Broad Wireless Range – 2 high gain antennas ensure superior range and stability

Specifications

Wireless

- Wireless Standard: IEEE 802.11b/g/n 2.4GHz
- Frequency: 2.4GHz
- Wireless Mode: Ad-Hoc / Infrastructure Mode
- Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

Hardware

- Interface: Mini USB 2.0
- LED: Status
- Button: WPS
- Dimensions: 3.5 × 2.7 × 0.7 in (90 × 68 × 16.8 mm)

Others

- Package Contents
 - 300Mbps High Gain Wireless USB Adapter TL-WN822N
 - Quick Installation Guide
 - Resource CD
 - USB extension cable
- Certification
 - FCC, CE, RoHS
- System Requirements
 - Windows 10/8.1/8/7/XP, Mac OS X 10.9-10.13, Linux
- Environment
 - Operating Temperature: 0 °C ~40 °C (32 °F ~104 °F)
 - Storage Temperature: -40 °C ~70 °C (-40 °F ~158 °F)
 - Operating Humidity: 10%~90% non-condensing
 - Storage Humidity: 5%~90% non-condensing



For more information, please visit

<http://www.tp-link.com/products/details/TL-WN822N.html>

or scan the QR code left

©2018 TP-Link

*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network conditions, including local interference, volume and density of traffic, product location, network complexity, and network overhead, and 3) client limitations, including rated performance, location, connection quality, and client condition.

*To ensure compatibility, you may need to update the adapter's drivers after an OS update. You can find our latest drivers in the download center at tp-link.com/en/download-center.

www.tp-link.com